



Item No.	Unit	Description		
<div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid blue; padding: 2px; font-size: 8px;">5 Units / -5%</div> <div style="border: 1px solid blue; padding: 2px; font-size: 8px;">10 Units / -10%</div> </div>				
<b>Corundum cut-off wheels for precision cut-off machines</b>				
		<b>Ø</b>	<b>Thickness</b>	<b>Arbor Size</b>
» fine-grained for universal application » for materials of higher hardness				
92002643	5 Pcs.	100 mm	0.25 mm	12.7 mm
92002644	5 Pcs.	125 mm	0.45 mm	12.7 mm
92002769	5 Pcs.	150 mm	0.45 mm	12.7 mm
» coarse-grained for universal application » for materials of lower hardness and mounted samples				
92002645	5 Pcs.	100 mm	0.4 mm	12.7 mm
92002646	5 Pcs.	125 mm	0.8 mm	12.7 mm
92002770	5 Pcs.	150 mm	0.6 mm	12.7 mm
92002647	5 Pcs.	200 mm	0.8 mm	12.7 mm
92004159	5 Pcs.	150 mm	1 mm	12.7 mm
92004998	5 Pcs.	150 mm	1 mm	20 mm (incl. reduction ring 12.7 mm*)
92004155	5 Pcs.	200 mm	1.5 mm	12.7 mm
* 1 reduction ring 12.7 mm for each order				
<b>Reduction ring 12.7 mm</b>				
01304330	1 Pcs.	20 mm		
<div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid blue; padding: 2px; font-size: 8px;">5 Units / -5%</div> <div style="border: 1px solid blue; padding: 2px; font-size: 8px;">10 Units / -10%</div> </div>				
<b>Diamond cut-off wheels for precision cut-off machines</b>				
		<b>Ø</b>	<b>Thickness</b>	<b>Arbor Size</b>
» for universal application				
92002397	1 Pcs.	76 mm	0.3 mm	12.7 mm
92002401	1 Pcs.	102 mm	0.3 mm	12.7 mm
92002405	1 Pcs.	127 mm	0.5 mm	12.7 mm
92002409	1 Pcs.	152 mm	0.5 mm	12.7 mm
» for glass, ceramics, rocks				
92002398	1 Pcs.	76 mm	0.3 mm	12.7 mm
92002402	1 Pcs.	102 mm	0.3 mm	12.7 mm
92002406	1 Pcs.	127 mm	0.5 mm	12.7 mm
92002410	1 Pcs.	152 mm	0.5 mm	12.7 mm
» for hard metals				
92002400	1 Pcs.	76 mm	0.3 mm	12.7 mm
92002404	1 Pcs.	102 mm	0.3 mm	12.7 mm
92002408	1 Pcs.	127 mm	0.5 mm	12.7 mm
92002412	1 Pcs.	152 mm	0.5 mm	12.7 mm
» for plastic, rubber on request				