



Item No.	Unit	Description				
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 2px;">5 Units / -5%</div> <div style="border: 1px solid black; padding: 2px;">10 Units / -10%</div> </div> <b>Premium cut-off wheels for wet abrasive cut-off machines</b>						
		Ø	Thickness	Arbor Size	Bond	Type
<b>FS-C - for medium hard steel (300-550HV), case hardened, nitrided steels</b>						
95012527	10 Pcs.	250 mm	1.5 mm	32 mm	Al2O3 / Resin	FS-C, Yellow
95012534	10 Pcs.	300 mm	2.0 mm	32 mm	Al2O3 / Resin	FS-C, Yellow
95012541	10 Pcs.	350 mm	2.2 mm	32 mm	Al2O3 / Resin	FS-C, Yellow
95012548	10 Pcs.	400 mm	3.0 mm	32 mm	Al2O3 / Resin	FS-C, Yellow
95012562	5 Pcs.	500 mm	4.0 mm	32 mm	Al2O3 / Resin	FS-C, Yellow
95012569	5 Pcs.	600 mm	4.5 mm	32 mm	Al2O3 / Resin	FS-C, Yellow
<b>FS-D - for hard steels (400-700HV), annealed, carburised steels</b>						
95012526	10 Pcs.	250 mm	1.5 mm	32 mm	Al2O3 / Resin	FS-D, Green
95012533	10 Pcs.	300 mm	2.0 mm	32 mm	Al2O3 / Resin	FS-D, Green
95012540	10 Pcs.	350 mm	2.5 mm	32 mm	Al2O3 / Resin	FS-D, Green
95012547	10 Pcs.	400 mm	3.0 mm	32 mm	Al2O3 / Resin	FS-D, Green
95012561	5 Pcs.	500 mm	4.0 mm	32 mm	Al2O3 / Resin	FS-D, Green
95012568	5 Pcs.	600 mm	4.5 mm	32 mm	Al2O3 / Resin	FS-D, Green
<b>FS-E - for very hard steels (&gt;550HV)</b>						
95012525	10 Pcs.	250 mm	1.5 mm	32 mm	Al2O3 / Resin	FS-E, Blue
95012532	10 Pcs.	300 mm	2.0 mm	32 mm	Al2O3 / Resin	FS-E, Blue
95012539	10 Pcs.	350 mm	2.5 mm	32 mm	Al2O3 / Resin	FS-E, Blue
95012546	10 Pcs.	400 mm	3.0 mm	32 mm	Al2O3 / Resin	FS-E, Blue
95012560	5 Pcs.	500 mm	4.0 mm	32 mm	Al2O3 / Resin	FS-E, Blue
95012567	5 Pcs.	600 mm	4.5 mm	32 mm	Al2O3 / Resin	FS-E, Blue

						Description				
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 2px;">5 Units / -5%</div> <div style="border: 1px solid black; padding: 2px;">10 Units / -10%</div> </div> <b>Corundum cut-off wheels for wet abrasive cut-off machines</b>										
		Ø	Thickness	Arbor Size	Bond	Type				
<b>C - Universal wheel for materials of high to very high hardness</b>										
92001550	10 Pcs.	235 mm	1.5 mm	32 mm	Resin	C				
92001554	10 Pcs.	250 mm	1.5 mm	32 mm	Resin	C				
92001558	10 Pcs.	300 mm	2 mm	32 mm	Resin	C				
92001669	10 Pcs.	350 mm	2 mm	32 mm	Resin	C				
92001783	10 Pcs.	400 mm	3 mm	32 mm	Resin	C				
<b>D - Universal wheel for medium hard materials, case-hardened steels</b>										
92001551	10 Pcs.	235 mm	1.5 mm	32 mm	Resin	D				
92001555	10 Pcs.	250 mm	1.5 mm	32 mm	Resin	D				
92001559	10 Pcs.	300 mm	2 mm	32 mm	Resin	D				
92001670	10 Pcs.	350 mm	2 mm	32 mm	Resin	D				
92001784	10 Pcs.	400 mm	3 mm	32 mm	Resin	D				
<b>E - for soft steels, non-ferrous-materials, plastics</b>										
92001552	10 Pcs.	235 mm	1.5 mm	32 mm	Resin	E				
92001556	10 Pcs.	250 mm	1.5 mm	32 mm	Resin	E				
92001560	10 Pcs.	300 mm	2 mm	32 mm	Resin	E				
92001671	10 Pcs.	350 mm	2.2 mm	32 mm	Resin	E				
92001785	10 Pcs.	400 mm	3 mm	32 mm	Resin	E				
<b>F - for titanium and titanium alloys</b>										
92002417	10 Pcs.	230 mm	1.5 mm	32 mm	Resin	F				
92002425	10 Pcs.	250 mm	1.5 mm	32 mm	Resin	F				
92002426	10 Pcs.	300 mm	2 mm	32 mm	Resin	F				
92002427	10 Pcs.	350 mm	2.5 mm	32 mm	Resin	F				
92002428	10 Pcs.	400 mm	3 mm	32 mm	Resin	F				
<b>I - for construction steels and cast material</b>										
92006066	10 Pcs.	250 mm	1.6 mm	32 mm	Resin	I				
92005863	10 Pcs.	300 mm	2 mm	32 mm	Resin	I				
92005862	10 Pcs.	350 mm	2.5 mm	32 mm	Resin	I				
92008504	10 Pcs.	400 mm	3 mm	32 mm	Resin	I				



ATM type description	
old	new
C	FS-E
D	FS-D
H	FS-C
E, I	FS-B
E, I	FS-A
F	Ti-A
E	NF-A